

Advance Illness and Frailty Exclusions

Exclusion Information

The National Committee for Quality Assurance (“NCQA”) added exclusions for members with advanced illness and frailty or who live in long-term nursing home settings for specified measures.

The information presented reflects the HEDIS specifications but is not meant to preclude clinical judgment. Treatment decisions should always be based on the clinical judgment of the physician or other healthcare providers.

Who will now be excluded from these measures?

Patients will be excluded when there is evidence of:

- Frailty: durable medical equipment (DME) or services such as home health and skilled nursing, which are indicators of limited mobility or physical functionality.
- Advanced illness: severe chronic conditions such as emphysema, cirrhosis, leukemia, heart failure, dementia and end-stage renal disease

Which measures are impacted?

Listed below are the HEDIS measures to which these exclusions have been added. The majority of the impacted measures are also part of the Medicare Star ratings program (*) governed by the Centers for Medicare & Medicaid Services (CMS).

Patients 66-80 with frailty AND advanced illness, as well as those 81 years old and older with frailty ONLY:

- Controlling blood pressure (CBP)*
- Kidney Health Evaluation for Patients with Diabetes (KED)
- Osteoporosis management in women who had a fracture (OMW)*
The age range for OMW eligibility is 67-85.

Patients 66 years old and older with frailty AND advanced illness:

- Breast cancer screening (BCS)*
- Colon cancer screening (COL)*
- Statin therapy for patients with cardiovascular disease (SPC)*
- Eye Exam for Patients with Diabetes (EED)*
- Hemoglobin A1c Control for Patients with Diabetes (HBD)*



Contact us with questions at Stars_Support@uhcsouthflorida.com
or speak to your Health Plan Representative.

How will patients be identified for exclusion?

Codes from NCQA's advanced illness value set and frailty value set will be used to identify patients for exclusion. Patients can only be excluded via appropriate and applicable coding on submitted claims. Medical records and other proof of service documents cannot be used for these exclusions.

- Advanced Illness Exclusions are based on any of the following claim types with advanced illness code(s) during the current measurement year or prior year:
 - Two outpatient, observation or non-acute inpatient visits on different dates of services
 - One acute inpatient stay
 - One dispensed dementia medication
 - Frailty exclusions are based on any single claim with a frailty code during the current measurement year

Advanced Illness & Frailty Value Sets

The following table outlines the Current Procedural Terminology (CPT®), Healthcare Common Procedure Coding System (HCPCS) and ICD-10 diagnosis procedure codes for each of these value sets.

CODE	CODE TYPE	DEFINITION
Creutzfeldt-Jakob disease [Advanced Illness]		
A81.00	ICD-10	Creutzfeldt-Jakob disease, unspecified
A81.01	ICD-10	Variant Creutzfeldt-Jakob disease
A81.09	ICD-10	Other Creutzfeldt-Jakob disease
Malignant neoplasm [Advanced Illness]		
C25.0	ICD-10	Malignant neoplasm of head of pancreas
C25.1	ICD-10	Malignant neoplasm of body of pancreas
C25.2	ICD-10	Malignant neoplasm of tail of pancreas
C25.3	ICD-10	Malignant neoplasm of pancreatic duct
C25.4	ICD-10	Malignant neoplasm of endocrine pancreas
C25.7	ICD-10	Malignant neoplasm of other parts of pancreas
C25.8	ICD-10	Malignant neoplasm of overlapping sites of pancreas
C25.9	ICD-10	Malignant neoplasm of pancreas, unspecified
C71.0	ICD-10	Malignant neoplasm of cerebrum, except lobes and ventricles
C71.2	ICD-10	Malignant neoplasm of temporal lobe
C71.3	ICD-10	Malignant neoplasm of parietal lobe
C71.4	ICD-10	Malignant neoplasm of occipital lobe
C71.5	ICD-10	Malignant neoplasm of cerebral ventricle
C71.6	ICD-10	Malignant neoplasm of cerebellum
C71.7	ICD-10	Malignant neoplasm of brain stem
C71.8	ICD-10	Malignant neoplasm of overlapping sites of brain
C71.9	ICD-10	Malignant neoplasm of brain, unspecified
C77.0	ICD-10	Secondary and unspecified malignant neoplasm of lymph nodes of head, face
C77.1	ICD-10	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
C77.2	ICD-10	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
C77.3	ICD-10	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes
C77.4	ICD-10	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes
C77.5	ICD-10	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
C77.8	ICD-10	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions
C77.9	ICD-10	Secondary and unspecified malignant neoplasm of lymph node, unspecified
C78.00	ICD-10	Secondary malignant neoplasm of unspecified lung

C78.1	ICD-10	Secondary malignant neoplasm of mediastinum
C78.2	ICD-10	Secondary malignant neoplasm of pleura
C78.39	ICD-10	Secondary malignant neoplasm of other respiratory organs
C78.4	ICD-10	Secondary malignant neoplasm of small intestine
C78.5	ICD-10	Secondary malignant neoplasm of large intestine and rectum
C78.7	ICD-10	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.6	ICD-10	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.89	ICD-10	Secondary malignant neoplasm of other digestive organs
C79.00	ICD-10	Secondary malignant neoplasm of unspecified kidney and renal pelvis
C79.11	ICD-10	Secondary malignant neoplasm of bladder
C79.19	ICD-10	Secondary malignant neoplasm of other urinary organs
C79.2	ICD-10	Secondary malignant neoplasm of skin
C79.31	ICD-10	Secondary malignant neoplasm of brain
C79.32	ICD-10	Secondary malignant neoplasm of cerebral meninges
C79.51	ICD-10	Secondary malignant neoplasm of bone
C79.63	ICD-10	Secondary malignant neoplasm of bilateral ovaries
C79.49	ICD-10	Secondary malignant neoplasm of other parts of nervous system
Leukemia [Advanced Illness]		
C91.00	ICD-10	Acute lymphoblastic leukemia not having achieved remission
C91.02	ICD-10	Acute lymphoblastic leukemia, in relapse
C92.00	ICD-10	Acute myeloblastic leukemia, not having achieved remission
C92.02	ICD-10	Acute myeloblastic leukemia, in relapse
C93.00	ICD-10	Acute monoblastic/monocytic leukemia, not having achieved remission
C93.02	ICD-10	Acute monoblastic/monocytic leukemia, in relapse
C93.90	ICD-10	Monocytic leukemia, unspecified, not having achieved remission
C93.92	ICD-10	Monocytic leukemia, unspecified in relapse
C93.Z0	ICD-10	Other monocytic leukemia, not having achieved remission
C93.Z2	ICD-10	Other monocytic leukemia, in relapse
C94.30	ICD-10	Mast cell leukemia not having achieved remission
C94.32	ICD-10	Mast cell leukemia, in relapse
Dementia and Alzheimer's [Advanced Illness]		
F01.50	ICD-10	Vascular dementia without behavioral disturbance
F01.51	ICD-10	Vascular dementia with behavioral disturbance
F02.80	ICD-10	Dementia in other diseases classified elsewhere without behavioral
F02.81	ICD-10	Dementia in other diseases classified elsewhere with behavioral disturbance
F03.90	ICD-10	Unspecified dementia without behavioral disturbance
F03.91	ICD-10	Unspecified dementia with behavioral disturbance
F04	ICD-10	Amnesic disorder due to known physiological condition
F10.27	ICD-10	Alcohol dependence with alcohol-induced persisting dementia
F10.96	ICD-10	Alcohol use, unspecified with alcohol-induced persisting amnesic disorder
F10.97	ICD-10	Alcohol use, unspecified with alcohol-induced persisting dementia
G10	ICD-10	Huntington's disease
G12.21	ICD-10	Amyotrophic lateral sclerosis
G20	ICD-10	Parkinson's disease
G30.0	ICD-10	Alzheimer's disease with early onset
G30.1	ICD-10	Alzheimer's disease with late onset
G30.8	ICD-10	Other Alzheimer's disease
G30.9	ICD-10	Alzheimer's disease, unspecified
G31.01	ICD-10	Pick's disease
G31.09	ICD-10	Other frontotemporal dementia
G31.83	ICD-10	Dementia with Lewy bodies
G35	ICD-10	Multiple sclerosis

Heart failure, chronic kidney disease (CKD) and end-stage renal disease (ESRD) [Advanced Illness]		
I09.81	ICD-10	Rheumatic heart failure
I11.0	ICD-10	Hypertensive heart disease with heart failure
I12.0	ICD-10	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or
I13.0	ICD-10	Hypertensive heart and chronic kidney disease with heart failure and stage 1
I13.11	ICD-10	Hypertensive heart and chronic kidney disease without heart failure, with
I13.2	ICD-10	Hypertensive heart and chronic kidney disease with heart failure and with
I50.1	ICD-10	Left ventricular failure, unspecified
I50.20	ICD-10	Unspecified systolic (congestive) heart failure
I50.21	ICD-10	Acute systolic (congestive) heart failure
I50.22	ICD-10	Chronic systolic (congestive) heart failure
I50.23	ICD-10	Acute on chronic systolic (congestive) heart failure
I50.30	ICD-10	Unspecified diastolic (congestive) heart failure
I50.31	ICD-10	Acute diastolic (congestive) heart failure
I50.32	ICD-10	Chronic diastolic (congestive) heart failure
I50.33	ICD-10	Acute on chronic diastolic (congestive) heart failure
I50.40	ICD-10	Unspecified combined systolic (congestive) and diastolic (congestive) heart
I50.41	ICD-10	Acute combined systolic (congestive) and diastolic (congestive) heart failure
I50.42	ICD-10	Chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.43	ICD-10	Acute on chronic combined systolic (congestive) and diastolic (congestive)
I50.810	ICD-10	Right heart failure, unspecified
I50.811	ICD-10	Acute right heart failure
I50.812	ICD-10	Chronic right heart failure
I50.813	ICD-10	Acute on chronic right heart failure
I50.814	ICD-10	Right heart failure due to left heart failure
I50.82	ICD-10	Biventricular heart failure
I50.83	ICD-10	High-output heart failure
I50.84	ICD-10	End-stage heart failure
I50.89	ICD-10	Other heart failure
I50.9	ICD-10	Heart failure, unspecified
N18.5	ICD-10	Chronic kidney disease, stage 5
N18.6	ICD-10	End-stage renal disease
Emphysema and chronic obstructive pulmonary disease (COPD) [Advanced Illness]		
J43.0	ICD-10	Unilateral pulmonary emphysema (MacLeod's syndrome)
J43.1	ICD-10	Panlobular emphysema
J43.2	ICD-10	Centrilobular emphysema
J43.8	ICD-10	Other emphysema
J43.9	ICD-10	Emphysema, unspecified
J68.4	ICD-10	Chronic respiratory conditions due to chemicals, gases, fumes and vapors
J84.10	ICD-10	Pulmonary fibrosis, unspecified
J84.112	ICD-10	Idiopathic pulmonary fibrosis
J84.17	ICD-10	Other interstitial pulmonary diseases with fibrosis in diseases classified
J96.10	ICD-10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
J96.11	ICD-10	Chronic respiratory failure with hypoxia
J96.12	ICD-10	Chronic respiratory failure with hypercapnia

J96.20	ICD-10	Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
J96.21	ICD-10	Acute and chronic respiratory failure with hypoxia
J96.22	ICD-10	Acute and chronic respiratory failure with hypercapnia
J96.90	ICD-10	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia
J96.91	ICD-10	Respiratory failure, unspecified with hypoxia
J96.92	ICD-10	Respiratory failure, unspecified with hypercapnia
J98.2	ICD-10	Interstitial emphysema
J98.3	ICD-10	Compensatory emphysema
Hepatitis and cirrhosis [Advanced Illness]		
K70.10	ICD-10	Alcoholic hepatitis without ascites
K70.11	ICD-10	Alcoholic hepatitis with ascites
K70.2	ICD-10	Alcoholic fibrosis and sclerosis of liver
K70.30	ICD-10	Alcoholic cirrhosis of liver without ascites
K70.31	ICD-10	Alcoholic cirrhosis of liver with ascites
K70.40	ICD-10	Alcoholic hepatic failure without coma
K70.41	ICD-10	Alcoholic hepatic failure with coma
K70.9	ICD-10	Alcoholic liver disease, unspecified
K74.0	ICD-10	Hepatic fibrosis
K74.1	ICD-10	Hepatic sclerosis
K74.2	ICD-10	Hepatic fibrosis with hepatic sclerosis
K74.4	ICD-10	Secondary biliary cirrhosis
K74.5	ICD-10	Biliary cirrhosis, unspecified
K74.60	ICD-10	Unspecified cirrhosis of liver
K74.69	ICD-10	Other cirrhosis of liver
Home health [Frailty]		
99504	CPT	Home visit for mechanical ventilation care
99509	CPT	Home visit for assistance with activities of daily living and personal care
Durable medical equipment due to limited mobility [Frailty]		
E0100	HCPCS	Cane, includes canes of all materials, adjustable or fixed, with tip
E0105	HCPCS	Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips
E0130	HCPCS	Walker, rigid (pickup), adjustable or fixed height
E0135	HCPCS	Walker, folding (pickup), adjustable or fixed height
E0140	HCPCS	Walker, with trunk support, adjustable or fixed height, any type
E0141	HCPCS	Walker, rigid, wheeled, adjustable or fixed height
E0143	HCPCS	Walker, folding, wheeled, adjustable or fixed height
E0144	HCPCS	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior
E0147	HCPCS	Walker, heavy duty, multiple braking system, variable wheel resistance
E0148	HCPCS	Walker, heavy duty, without wheels, rigid or folding, any type, each
E0149	HCPCS	Walker, heavy duty, wheeled, rigid or folding, any type
E0163	HCPCS	Commode chair, mobile or stationary, with fixed arms
E0165	HCPCS	Commode chair, mobile or stationary, with detachable arms
E0167	HCPCS	Pail or pan for use with commode chair, replacement only
E0168	HCPCS	Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each

E0170	HCPCS	Commode chair with integrated seat lift mechanism, electric, any type
E0171	HCPCS	Commode chair with integrated seat lift mechanism, non-electric, any type
E0250	HCPCS	Hospital bed, fixed height, with any type side rails, with mattress
E0251	HCPCS	Hospital bed, fixed height, with any type side rails, without mattress
E0255	HCPCS	Hospital bed, variable height, hi-lo, with any type side rails, with mattress
E0256	HCPCS	Hospital bed, variable height, hi-lo, with any type side rails, without mattress
E0260	HCPCS	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress
E0261	HCPCS	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress
E0265	HCPCS	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress
E0266	HCPCS	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress
E0270	HCPCS	Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress
E0290	HCPCS	Hospital bed, fixed height, without side rails, with mattress
E0291	HCPCS	Hospital bed, fixed height, without side rails, without mattress
E0292	HCPCS	Hospital bed, variable height, hi-lo, without side rails, with mattress
E0293	HCPCS	Hospital bed, variable height, hi-lo, without side rails, without mattress
E0294	HCPCS	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress
E0295	HCPCS	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress
E0296	HCPCS	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress
E0297	HCPCS	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress
E0301	HCPCS	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails,
E0302	HCPCS	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress
E0303	HCPCS	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress
E0304	HCPCS	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress
E0424	HCPCS	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
E0462	HCPCS	Rocking bed with or without side rails
E1130	HCPCS	Standard wheelchair, fixed full-length arms, fixed or swing-away detachable footrests
E1140	HCPCS	Wheelchair, detachable arms, desk or full-length, swing-away detachable footrests
E1150	HCPCS	Wheelchair, detachable arms, desk or full-length, swing-away detachable elevating leg rest
E1160	HCPCS	Wheelchair, fixed full-length arms, swing-away detachable elevating leg rest
E1161	HCPCS	Manual adult size wheelchair, includes tilt in space

E1170	HCPCS	Amputee wheelchair, fixed full-length arms, swing away detachable elevating leg rests
E1171	HCPCS	Amputee wheelchair, fixed full-length arms, without footrests or leg rest
E1172	HCPCS	Amputee wheelchair, detachable arms (desk or full length) without footrests or largest
E1180	HCPCS	Amputee wheelchair, detachable arms (desk or full length) swing away detachable footrests
E1190	HCPCS	Amputee wheelchair, detachable arms (desk or full length) swing away detachable elevating leg rests
E1195	HCPCS	Heavy duty wheelchair, fixed full-length arms, swing away detachable elevating leg rests
E1200	HCPCS	Amputee wheelchair, fixed full-length arms, swing away detachable footrest
E1220	HCPCS	Wheelchair; specially sized or constructed, (indicate brand name, model number, if any) and justification
E1240	HCPCS	Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating leg rest
E1250	HCPCS	Lightweight wheelchair, fixed full-length arms, swing away detachable footrest
E1260	HCPCS	Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest
E1270	HCPCS	Lightweight wheelchair, fixed full-length arms, swing away detachable elevating leg rests
E1280	HCPCS	Heavy duty wheelchair, detachable arms (desk or full length) elevating leg rests
E1285	HCPCS	Heavy duty wheelchair, fixed full-length arms, swing away detachable footrest
E1290	HCPCS	Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest
E1295	HCPCS	Heavy duty wheelchair, fixed full-length arms, elevating leg rest
E1296	HCPCS	Special wheelchair seat height from floor
E1297	HCPCS	Special wheelchair seat depth, by upholstery
E1298	HCPCS	Special wheelchair seat depth and/or width, by construction
Durable medical equipment due to respiratory limitations [Frailty]		
E0424	HCPCS	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
E0425	HCPCS	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
E0430	HCPCS	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing
E0431	HCPCS	Portable gaseous oxygen system, rental; includes portable container, regulator, flow- meter, humidifier, cannula or mask, and tubing
E0433	HCPCS	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter,
E0434	HCPCS	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or
E0435	HCPCS	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing

E0439	HCPCS	Stationary liquid oxygen system, rental; includes container, contents, regulator, flow- meter, humidifier, nebulizer, cannula or mask and tubing
E0440	HCPCS	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
E0441	HCPCS	Stationary oxygen contents, gaseous, one month's supply = 1 unit
E0442	HCPCS	Stationary oxygen contents, liquid, one month's supply = 1 unit
E0443	HCPCS	Portable oxygen contents, gaseous, one month's supply = 1 unit
E0444	HCPCS	Portable oxygen contents, liquid, one month's supply = 1 unit
E0462	HCPCS	Rocking bed with or without side rails
E0465	HCPCS	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube)
E0466	HCPCS	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)
E0470	HCPCS	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask
E0471	HCPCS	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask
E0472	HCPCS	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device)
E0561	HCPCS	Humidifier, non-heated, used with positive airway pressure device
E0562	HCPCS	Humidifier, heated, used with positive airway pressure device
Skilled nursing services [Frailty]		
G0162	HCPCS	Skilled services by a registered nurse (RN) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an RN to ensure that essential non-skilled care achieves its purpose in the home health or hospice setting)
G0299	HCPCS	Direct skilled nursing services of a registered nurse (RN) in the home health or hospice setting, each 15 minutes
G0300	HCPCS	Direct skilled nursing services of a licensed practical nurse (LPN) in the home health or hospice setting, each 15 minutes
G0493	HCPCS	Skilled services of a registered nurse (RN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)
G0494	HCPCS	Skilled services of a licensed practical nurse (LPN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)
S0271	HCPCS	Physician management of patient home care, hospice monthly case rate (per 30 days)
S0311	HCPCS	Comprehensive management and care coordination for advanced illness, per calendar month
S9123	HCPCS	Nursing care, in the home; by registered nurse, per hour (use for general nursing care only, not to be used when CPT codes 99500 – 99602 can be used)

S9124	HCPCS	Nursing care, in the home; by licensed practical nurse, per hour
T1000	HCPCS	Private duty/independent nursing service(s) – licensed, up to 15 minutes
T1001	HCPCS	Nursing assessment/evaluation
T1002	HCPCS	RN services, up to 15 minutes
T1003	HCPCS	LPN/LVN services, up to 15 minutes
T1004	HCPCS	Services of a qualified nursing aide, up to 15 minutes
T1005	HCPCS	Respite care services, up to 15 minutes
T1019	HCPCS	Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)
T1020	HCPCS	Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)
T1021	HCPCS	Home health aide or certified nurse assistant, per visit
T1022	HCPCS	Contracted home health agency services, all services provided under contract, per day
T1030	HCPCS	Nursing care, in the home, by registered nurse, per diem
T1031	HCPCS	Nursing care, in the home, by licensed practical nurse, per diem
Pressure ulcer, musculoskeletal conditions (atrophy, reduced mobility or control) [Frailty]		
L89.119	ICD-10	Pressure ulcer of right upper back, unspecified stage
L89.000	ICD-10	Pressure ulcer of unspecified elbow, unstageable
L89.006	ICD-10	Pressure-induced deep tissue damage of unspecified elbow
L89.139	ICD-10	Pressure ulcer of right lower back, unspecified stage
L89.149	ICD-10	Pressure ulcer of left lower back, unspecified stage
L89.106	ICD-10	Pressure-induced deep tissue damage of unspecified part of back
L89.159	ICD-10	Pressure ulcer of sacral region, unspecified stage
L89.200	ICD-10	Pressure ulcer of unspecified hip, unstageable
L89.209	ICD-10	Pressure ulcer of unspecified hip, unspecified stage
L89.609	ICD-10	Pressure ulcer of unspecified heel, unspecified stage
L89.309	ICD-10	Pressure ulcer of unspecified buttock, unspecified stage
L89.816	ICD-10	Pressure-induced deep tissue damage of head
L89.899	ICD-10	Pressure ulcer of other site, unspecified stage
L89.90	ICD-10	Pressure ulcer of unspecified site, unspecified stage
M62.50	ICD-10	Muscle wasting and atrophy, not elsewhere classified, unspecified site
M62.81	ICD-10	Muscle weakness (generalized)
M62.84	ICD-10	Sarcopenia
R26.0	ICD-10	Ataxic gait
R26.1	ICD-10	Paralytic gait
R26.2	ICD-10	Difficulty in walking, not elsewhere classified
R26.89	ICD-10	Other abnormalities of gait and mobility
R26.9	ICD-10	Unspecified abnormalities of gait and mobility
R54	ICD-10	Age-related physical debility
R63.4	ICD-10	Abnormal weight loss
R63.6	ICD-10	Underweight
R64	ICD-10	Cachexia
Weakness, fatigue and cognitive decline [Frailty]		
R41.81	ICD-10	Age-related cognitive decline
R53.1	ICD-10	Weakness
R53.81	ICD-10	Other malaise
R53.83	ICD-10	Other fatigue
R62.7	ICD-10	Adult failure to thrive

Falls [Frailty]		
W01.0XXA	ICD-10	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, initial encounter
W01.0XXD	ICD-10	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, subsequent encounter
W01.0XXS	ICD-10	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, sequela
W01.10XA	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, initial encounter
W01.10XD	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, subsequent encounter
W01.10XS	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, sequela
W01.110A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, initial encounter
W01.110D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, subsequent encounter
W01.110S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, sequela
W01.111A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, initial encounter
W01.111D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, subsequent encounter
W01.111S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, sequela
W01.118A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, initial encounter
W01.118D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, subsequent encounter
W01.118S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, sequela
W01.119A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, initial encounter
W01.119D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, subsequent encounter
W01.119S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, sequela
W01.190A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, initial encounter
W01.190D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, subsequent encounter
W01.190S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, sequela
W01.198A	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, initial encounter
W01.198D	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, subsequent encounter
W01.198S	ICD-10	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, sequela

Falls (Continued) [Frailty]		
W06.XXXA	ICD-10	Fall from bed, initial encounter
W06.XXXD	ICD-10	Fall from bed, subsequent encounter
W06.XXXS	ICD-10	Fall from bed, sequela
W07.XXXA	ICD-10	Fall from chair, initial encounter
W07.XXXD	ICD-10	Fall from chair, subsequent encounter
W07.XXXS	ICD-10	Fall from chair, sequela
W08.XXXA	ICD-10	Fall from other furniture, initial encounter
W08.XXXD	ICD-10	Fall from other furniture, subsequent encounter
W08.XXXS	ICD-10	Fall from other furniture, sequela
W10.0XXA	ICD-10	Fall (on) (from) escalator, initial encounter
W10.0XXD	ICD-10	Fall (on) (from) escalator, subsequent encounter
W10.0XXS	ICD-10	Fall (on) (from) escalator, sequela
W10.1XXA	ICD-10	Fall (on) (from) sidewalk curb, initial encounter
W10.1XXD	ICD-10	Fall (on) (from) sidewalk curb, subsequent encounter
W10.1XXS	ICD-10	Fall (on) (from) sidewalk curb, sequela
W10.2XXA	ICD-10	Fall (on) (from) incline, initial encounter
W10.2XXD	ICD-10	Fall (on) (from) incline, subsequent encounter
W10.2XXS	ICD-10	Fall (on) (from) incline, sequela
W10.8XXA	ICD-10	Fall (on) (from) other stairs and steps, initial encounter
W10.8XXD	ICD-10	Fall (on) (from) other stairs and steps, subsequent encounter
W10.8XXS	ICD-10	Fall (on) (from) other stairs and steps, sequela
W10.9XXA	ICD-10	Fall (on) (from) unspecified stairs and steps, initial encounter
W10.9XXD	ICD-10	Fall (on) (from) unspecified stairs and steps, subsequent encounter
W10.9XXS	ICD-10	Fall (on) (from) unspecified stairs and steps, sequela
W18.00XA	ICD-10	Striking against unspecified object with subsequent fall, initial encounter
W18.00XD	ICD-10	Striking against unspecified object with subsequent fall, subsequent
W18.00XS	ICD-10	Striking against unspecified object with subsequent fall, sequela
W18.02XA	ICD-10	Striking against glass with subsequent fall, initial encounter
W18.02XD	ICD-10	Striking against glass with subsequent fall, subsequent encounter
W18.02XS	ICD-10	Striking against glass with subsequent fall, sequela
W18.09XA	ICD-10	Striking against other object with subsequent fall, initial encounter
W18.09XD	ICD-10	Striking against other object with subsequent fall, subsequent encounter
W18.09XS	ICD-10	Striking against other object with subsequent fall, sequela

The advanced Illness value set and frailty value set are developed and owned by the National Committee for Quality Assurance ("NCQA"). Please note the codes listed in the table above pertain to either the advanced illness value set **or** the frailty value set. The headers in the table identify the applicable value set.



Contact us with questions at Stars_Support@uhcsouthflorida.com
or speak to your Health Plan Representative.